

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date: January 23, 2020

To, Dean

at Khasra no. 410 at Sawangi (Meghe), Wardha

Environment Clearance for Hospital construction

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 94th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 181st meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8(a) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:

2 0	
1.Name of Project	Acharya Vinoba Bhave Rural Hospital attached to Jawaharlal Nehru Medical College
2.Type of institution	Private
3.Name of Project Proponent	Dean
4.Name of Consultant	Pollution & Ecology Control Services
5.Type of project	Teaching Hospital
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	Khasra no. 410 at Sawangi (Meghe), Wardha
9.Taluka	Wardha
10.Village	Sawangi (Meghe)
Correspondence Name:	Datta Meghe Institute of Medical Sciences (Deemed University)
Room Number:	Atrey Layout, Pratapnagar
Floor:	NA
Building Name:	NA
Road/Street Name:	Ring Road
Locality:	Atrey Layout, Pratapnagar
City:	Nagpur
11.Whether in Corporation / Municipal / other area	Gram Panchayat
40.700.704.60	7/12 - Gut No. 410
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: Approval date - 19-05-1997
EE .	Approved Built-up Area: 47627
13.Note on the initiated work (If applicable)	? Total land Area: 54,135 sq.m (13.38 Acres)? Total Built up Area (Hospital): 47,627 sq. m (As per Sanctioned Drawing)? Built up Area before EIA Notification 14.09.2006: 20,029 Sq. M.? Built up Area After EIA Notification 14.09.2006: 27,598 Sq.m.? Total Built up Area (Hospital): 47,627 sq. m (As per Sanctioned Drawing)? Under violation as per EIA Notification 2006: Built up area is: 27,598 sq.m.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Gram Panchayat
15.Total Plot Area (sq. m.)	54,135 sq.m
16.Deductions	16,240 Sq.m.

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (**SEIAA-STATEMENT-0000001238**) **SEIAA-MINUTES-0000002765** SEIAA-EC-0000002324

Page 1 of 12

Shri. Anil Diggikar (Member Secretary SEIAA)

17.Net Plot area	37,895 Sq.m.
	FSI area (sq. m.): 75790 Sq. M. (As per DCR rules for medical institutions)
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 634 Sq.m. NON FSI (in terms non hospital areas)
11011 1 017	Total BUA area (sq. m.): 47627
	Approved FSI area (sq. m.): 75790 Sq. M. (As per DCR rules for medical institutions)
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): Not required
	Date of Approval: 19-05-1997
19.Total ground coverage (m2)	16128.25 Sq. m.
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	43 %
21.Estimated cost of the project	93000000



Government of Maharashtra

			22.P	roduct	tion Details				
Serial Number	Produc	et	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not applica	able	Not app	olicable	Not applicable	Not applicable			
		2	3.Tota	l Wate	r Requirement				
	So	ource of w	ater	Maharasht	ra Jeevan Pradhikaran and	Ground Water			
	Fre	resh water	(CMD):	628					
		ecycled wa ushing (C		131					
		ecycled wa ardening		60					
	Sw ma	wimming j ake up (C	pool um):	Nil	M-				
Dry season:		otal Water equiremen		819					
	Un	re fightin ndergroui nk(CMD)	id water	50					
	Ov	re fightin verhead w nk(CMD)	ater	nil 200					
	Ex	xcess trea	ted water	356					
	So	ource of w	ater	Maharashtra Jeevan Pradhikaran and Ground Water					
	Fr	resh water	(CMD):	628					
	Re Flu	ecycled wa ushing (C	ater - MD):	131					
	Re Ga	ecycled wa ardening	ater - (CMD):	00					
	Sw ma	wimming j ake up (C	pool um):	Nil					
Wet season:		otal Water equiremen		759					
	Un	re fightin ndergroui nk(CMD):	id water	50 DH DH					
	Ov	re fightin verhead w nk(CMD)	ater	nil					
	Ex	xcess trea	ted water	416					
Details of Sypool (If any)	wimming No	ot Applicab	ole		HIGHT	UI			

Maharashtra

24.Details of Total water consumed											
Particula rs	Cons	sumption (CM	D)	I	Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total		
Domestic	759	00	759	152	00	152	607	00	607		
Gardening	60	00	60	60	00	60	00	00	00		
		Level of the owater table:	Ground	Ground Wat	er Level : 5 to	10 m bgl					
		Size and no c tank(s) and Quantity:	of RWH	Not Applical	ole						
		Location of tank(s):	he RWH	Not Applical	ole	7					
25.Rain V Harvestii		Quantity of r pits:	echarge	10 pits are p	provided	Zy.	7				
(RWH)		Size of recha:	rge pits	2m X 2m X 3	3m Depth	3	2				
		Budgetary al (Capital cost	location) :	Rs. 3,00,000/-							
		Budgetary al (O & M cost)		Rs. 20,000/- per annum.							
		Details of UGT tanks if any: Under ground water tank is provided for fire fighting as per norms.							ms.		
		田士	1			1	G				
2.0	_	Natural wate drainage pat		Storm water drain is constructed according to natural slope.							
26.Storm drainage	water	Quantity of s water:	torm			S &	77				
		Size of SWD:	7.8	- 49° (X							
		T	3	1700राज्य	मुद्रा		7				
		Sewage gene in KLD:	ration	607 KLD							
		STP technolo	gy:	MBBR Technology							
27 Co		Capacity of S (CMD):	TP	2 Nos. 1) 40	0 KLD and 2) (600 KLD					
27.Sewage and Waste water	vater	Location & at the STP:	rea of	Within the P	lot Area	a ont of					
		Budgetary al (Capital cost	location):	Rs 2.0 Crore	es U		U				
		Budgetary al (O & M cost)		Rs 20.00 Lac	cs per annum	L.	4.0				
				lar	45 1						

Shri. Anil Diggikar (Member Secretary SEIAA)

	28.Solid waste Management						
Waste generation in	Waste generation:	Construction waste debris					
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	Waste debris is utilized in making of internal road					
	Dry waste:	445 kg/day					
	Wet waste:	667 kg/day					
Wasta ganaration	Hazardous waste:	Not Applicable					
Waste generation in the operation Phase:	Biomedical waste (If applicable):	195 kg/day					
	STP Sludge (Dry sludge):	30					
	Others if any:	Not Applicable					
	Dry waste:	The waste have been segregate properly as per CPCB norms and disposed off to the Authorized local authority waste collection system.					
	Wet waste:	The waste have been segregate properly as per CPCB norms and disposed off to the Authorized local authority waste collection system.					
Mode of Disposal	Hazardous waste:	Not Applicable					
of waste:	Biomedical waste (If applicable):	The biomedical waste have been collected & segregated separately as per CPCB norms in Four different Colour bins and disposed off properly to Local Authorized Medical waste disposal Agency.					
	STP Sludge (Dry sludge):	STP Dry Sludge have been used as manure for greenbelt development.					
	Others if any:	Not Applicable					
	Location(s):	Area earmark for the bio medical waste and Solid waste separately.					
Area requirement:	Area for the storage of waste & other material:	Area earmark for the bio medical waste and Solid waste separately.					
	Area for machinery:	Not Applicable					
Budgetary allocation	Capital cost:	Rs. 40 Lacs					
(Capital cost and O&M cost):	O & M cost:	Rs. 15 Lacs / annum					

Government of Maharashtra

	29.Effluent Charecterestics								
Serial Number	Parameters	Unit	nit Inlet Effluent Outlet Efflu Charecterestics Charecteres		Effluent discharge standards (MPCB)				
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
Amount of e	effluent generation	40 KLD							
Capacity of	the ETP:	40 KLD							
Amount of trecycled:	reated effluent	38 KLD							
Amount of v	water send to the CETP:	Not Applicable							
Membershi	p of CETP (if require):	Not Applicable							
Note on ET	Note on ETP technology to be used		Collection tank - Settling tank - Filter tank have been constructed for treatment of waste water						
Disposal of	the ETP sludge	Not applicable							



Government of Maharashtra

	30.Hazardous Waste Details									
Serial Number	Desci	ription Cat		UOM	Existing	Proposed	Tot	al	Method of Disposal	
1	Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable	No applic		Not applicable	
	31.Stacks emission Details									
Serial Number	Section & units Fu		Fuel Used with Quantity		Stack No.	Height from ground level (m)	Inter diam (m	eter	Temp. of Exhaust Gases	
1	Silent	DG Set	Diesel 5	0 ltr/day	2	15	0.1	.5	50 degree C	
			32.De	tails of I	Tuel to be	e used				
Serial Number	Tyj	pe of Fuel		Existing	M	Proposed			Total	
1		Diesel	M	50 Ltr/day		00			50 Ltr/day	
Source of Fu	ıel		Local	supplier	tot d	UZ.	•			
Mode of Tra	nsportation	of fuel to sit	e It is a	ıvailable in n	ear by town.		7			
		2	7.69		3/	37 K	/>			
		15	7 90	33.Ei	nergy	301.1	334			
		Source of supply:	power	MSEDCL						
		During Co Phase: (Do Load)	nstruction emand	Construction Phase: 200 KVA						
		DG set as back-up d constructi	uring	Not Applicable						
		During Opphase (Corload):	During Operation phase (Connected load):		Operation Phase: 3 MW					
Power requirement:		During Opphase (Delload):	eration mand	Operation Phase: 2.5 MW						
			er:	Yes, installe	ed.	UZA.				
		DG set as back-up d operation	uring	For D. G. Sets : 2 Nos. 750 KVA , 1 No. 500 KVA, 1 No. 320 KVA						
				Diesel						
		Details of tension lir through thany:	e passing	Not Applicable						

34.Energy saving by non-conventional method:

botal water neuter has been provided for more than 20 % of the not water demand.							
	36.Detail calculations & % of saving:						
Serial Number	Energy Conservation Measures	Saving %					
1	Solar Energy - Street Light and Common Area	100 KVA					
2	Solar Energy for Water Heater	130 KVA					
3	Wind Energy is acquired for Hospital common area.	100 KVA					
	37.Details of pollution of	control Systems					
Source	Existing pollution control system	Proposed to be installed					
Vehicular Movement	Dense plantation and Dust Suppression have been adopted to control air Pollution	About 1000 trees are planted and preserved as a part of the development. And 600 trees will be planted in future.					

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001238) SEIAA-MINUTES-0000002765 SEIAA-EC-0000002324

Page 7 of 12

Shri. Anil Diggikar (Member Secretary SEIAA)

^{* 230} KVA is being generated by Solar Energy. This solar energy has been used for hospital common area, outer lighting and hot water.

* Through Wind Energy 100 KVA is acquired for Hospital common area.

* Solar water heater has been provided for Hospital for more than 20 % of the hot water demand.

Budgetary (Capital	allocation cost and	Capital co	st:	t: Rs. 1.5 Crores							
O&M		O & M cos	it:								
38	Envir	onmen	tal Mar	nagem	ent p	olan Bu	ıdg	etary	Alloca	ntion	
		a)	Construc	ction ph	ase (v	vith Bre	ak-u	p):			
Serial Number	Attri	butes	Parai	meter		Total Cost per annum (Rs. In Lacs)					
1	Air Polluti	ion Control	Particula	te Matter]	Rs. 2.00 I	acs		
		b) Operat	ion Pha	se (wi	th Breal	k-up):			
Serial Number	Comp	onent	Descr	iption	Capi	tal cost Rs Lacs	. In	Opera C	tional and ost (Rs. in	Maintenance Lacs/yr)	
1	Air Polluti	ion Control	There is no air pollution except during run of D.G. sets in case of power failure		11	12.00		2.00			
2		Pollution ntrol	STP ad 8			200.00	20.00				
3	Manage	Waste ment (Bio l Waste)	Authorised	Agreement with Authorised agency to 40.00 sposal of Solid waste			15.00				
4	Gree	enbelt	Plant	ation		15.00		2.00			
5		nmental toring		, Water and er quality; levels.	B.O.	^ T)	11	H	5.00		
39.S	torage	of che	micals	(inflat subst	nabl ance	e/expl s)	osiv	e/haz	zardou	s/toxic	
Descri	ption	Status	Location	n Ca	torage ipacity n MT	Maximum Quantity of Storage at any point of time in MT	/ M	umption onth in MT	Source of Supply	Means of transportation	
Not app	Not applicable Not applicable		Not applica	ap.	Not plicable	Not applicable		pplicable	Not applicable	Not applicable	
			40.A	ny Othe	r Info	rmation	ì				
√o Informa	tion Availab	le		400	TAL	7					

Government of Maharashtra

Page 8 of 12

CRZ/ RRZ clearance obtain, if any:	Not Applicable
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
Category as per schedule of EIA Notification sheet	8(a)
Court cases pending if any	None
Other Relevant Informations	Application for Environmental Clearance under notification dated 8th March 2018 for Violation cases.
Have you previously submitted Application online on MOEF Website.	No Obt Oz
Date of online submission	Tadada San

3. The proposal has been considered by SEIAA in its 181st meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	The committee noted that Cost of remediation plan and natural & community resource augmentation plan as per revised approach paper is estimated as Rs. 1.93 Cr. The Committee also noted that the amount of CER as per MoEF & CC circular dated 1/05/2018 is Rs. 1.86 Cr which is less than the remediation / augmentation plan. Therefore committee decided to obtain Bank Guarantee of Rs 1.93 Cr for the project completion period.
II	PP to submit a bank guarantee of Rs. 1.93 cr to Maharashtra Pollution Control Board towards effective implementation of the EMP comprising remediation plan and Natural and Community Resource augmentation Plan.
Ш	PP to submit CER as applicable as per MOEF & CC circular dated .5.2018 in consultation with Municipal Corporation.
IV	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III t.04.01.2019.
Conoral Conditions	THE THE ACC

Canaral Canditions

General Conditions:	My Aked Ax.
I	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
II	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
v	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001238) SEIAA-MINUTES-0000002765 SEIAA-EC-0000002324

Page 9 of 12

Shri. Anil Diggikar (Member Secretary SEIAA)

XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
	by use of appropriate thermal institution material to runni requirement.

XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
LV	This EC is issued subject to the condition that the implementation of EMP, remediation plan and Natural and Community Resource Plan will be completed during the period for which the Bank Guarantee is given, otherwise the BG should be suitably extended up to implementation of EMP.

Page 11 of Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- 5. SECRETARY MOEF & CC
- **6.** IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER NAGPUR
- 10. REGIONAL OFFICE MPCB NAGPUR
- 11. REGIONAL OFFICE MIDC NAGPUR
- 12. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 13. COLLECTOR OFFICE BHANDARA
- **14.** COLLECTOR OFFICE NAGPUR
- 15. COLLECTOR OFFICE WARDHA
- 16. COLLECTOR OFFICE GADCHIROLI

Vlaharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)